	Centre Number	Candidate Number
Pearson Edexcel Level 1/Level 2 GCSE (9-1)		
Biology		
Paper 1		
		Higher Tier
	teaching September 2016	Higher Tier Paper Reference 1BIO/1H

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 100.
- The marks for each question are shown in brackets
 use this as a guide as to how much time to spend on each question.
- In questions marked with an asterisk (*), marks will be awarded for your ability to structure your answer logically showing how the points that you make are related or follow on from each other where appropriate.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶

PEARSON

S50042A
©2016 Pearson Education Ltd.



Answer ALL questions. Write your answers in the spaces provided.

Some questions must be answered with a cross in a box \boxtimes . If you change your mind about an answer, put a line through the box \boxtimes and then mark your new answer with a cross \boxtimes .

1 Figure 1 shows the times when *Homo sapiens* and some of their ancestral species are thought to have lived.




Figure 1


- (a) Fossil remains of Ardipithecus ramidus were discovered in Ethiopia.
 - (i) Describe the evidence that scientists might have used to show that *Ardipithecus ramidus* inhabited the Earth earlier than *Homo habilis*.

V.	d	п	J	
٦			"	

(ii) Suggest an explanation for the extinction of *Homo habilis*.

(2)

(iii) Figure 2 shows two stone tools, one used by *Homo habilis* and one used by *Homo erectus*.



(Source: Frederic Surmely/look at sciences/Science Photo Library)

Figure 2

Explain which stone tool was most likely to be used by *Homo erectus*.

Use information from Figure 1 and Figure 2.


(2)

(Total for Ques	stion 1 = 9 marks)
se now drought resistant crop plants can be produced.	(3)
pe how drought-resistant crop plants can be produced.	
owth of drought-resistant crop plants could lead to an increas upply.	se in
pulation of humans on Earth has increased significantly leadi nortages.	ng to
pulation of hum	ans on Earth has increased significantly leadi

- **2** Streptococcus pyogenes is a bacterium that causes communicable infections.
 - (a) Scientists tested the ability of two antiseptics to kill Streptococcus pyogenes bacteria.

They spread *Streptococcus pyogenes* bacteria on two agar jelly plates and placed a small disc of filter paper containing antiseptic in the centre of each dish.

Figure 3 shows the results of the test after 24 hours of incubation.



antiseptic 1 : inhibiti	
radius (mm)	12
area (mm²)	452

Figure 3

(i) Calculate the area of the zone of inhibition for antiseptic 2. Give the answer to 3 significant figures.

$$(\pi = 3.14)$$

(3)

zone of inhibition for antiseptic 2 = mm²

(ii) Explain which antiseptic is the most effective.	(2)
(iii) After the bacteria were spread on the plates, both plates were incubated for 24 hours at 37 $^{\circ}$ C.	
Give a reason why the plates were incubated at 37 °C.	
	(1)
b) The wire loop used to spread bacteria on an agar plate was heated in a Bunsen burner flame before being used.	
Explain why this aseptic precaution was used.	
	(2)
(Total for Question 2 = 8 m	arks)

3				of waist-to-hip measurements can be used to determine the risk of a person g cardiovascular disease.	
	(a)			ate the waist-to-hip ratio for a person with a waist measurement of 830 mm hip measurement of 0.99 m.	
		Giv	⁄e y	our answer to 2 decimal places.	(2)
				Answer =	
	(b)	Die	etin	g can reduce the effects of cardiovascular disease.	
		(i)		nich statement gives a reason why dieting can be used to reduce weight in ese people?	
			_		(1)
		×	A	Dieting increases metabolism and growth rate	
		X	В	Dieting reduces energy consumption	
		X	C	Dieting decreases metabolism	
		X	D	Dieting increases energy consumption	
		(ii)	As	scientist is planning to test a new diet for weight loss.	
			Sh	e selects 40 obese people to take part in the test.	
			All	the obese people are between 20 and 30 years of age.	
			Sta	ate two other factors the scientist should control when selecting the people.	(2)

4	Gregor Mendel	investigated	the genetics	of peas.
---	----------------------	--------------	--------------	----------

He did not know about genes but showed that inherited characteristics can be dominant or recessive.

(a) Explain how Mendel used homozygous tall and homozygous short pea plants to show that the tall allele is dominant to the short allele.

(2)

(b) Figure 4 shows a strawberry plant that has produced several runners and new strawberry plantlets are growing at the end of each runner. This is asexual reproduction.




Figure 4

(i) Explain why asexual reproduction in strawberries is beneficial to strawberry farmers.

Explain why seed production is an advantage to the strawberry plant.	
	(2)

(c) Duchenne muscular dystrophy is a sex-linked recessive genetic disorder caused by a mutation on a single gene on the X-chromosome.

The letter D can be used for the dominant allele and the letter d for the recessive allele.

Figure 5 shows the inheritance of Duchenne muscular dystrophy in a family.




Figure 5

(i) What is the percentage chance of any child from person A inheriting the mutated allele?

(1)

- A 0%
- **■ B** 25%
- **D** 75%
- (ii) Explain the conclusion that can be made about the genotype of person C.

(2)

(Total for Question 4 = 9 marks)

- **5** Diffusion, active transport and osmosis can be used to move substances into and out of cells.
 - (a) A student was investigating osmosis in potato cubes.

He used the following method:

cut a potato into equal-sized cubes

- record the mass of each potato cube
- place each potato cube into different concentrations of salt solution
- remove the potato cubes after 30 minutes
- dry the potato cubes and record the final mass of each cube.

He plots his results on a graph shown in Figure 6.




Figure 6

The method controls a number of variables.

(i) Name **one** other variable that needs to be controlled during the student's investigation.


(1)

(ii) Give a reason why the potato cube must be dried.

(1)

(i	ii) Explain the conclusion that can be made about point Q on Figure 6.	(2)
(i	v) Give one way that the student could obtain more data to increase the accuracy of point Q.	(1)
		(1)
	smosis is one method that single-celled organisms, such as bacteria, use to btain molecules from their environment.	
	/hich of the following is a correct description of a process involving the transport f molecules?	
O		(1)
⊠ A	Diffusion is used to transport molecules against the concentration gradient	
⊠ B	Active transport is used to obtain molecules in a low concentration environmen	t
⊠ C	Active transport moves substances along the concentration gradient	
⊠ D	Diffusion uses energy to transport molecules into cells	

(c) Figure 7 shows some Vibrio cholerae, the bacteria that cause cholera.



Magnification ×8000

(Source: Corbis)

Figure 7

The length of one flagellum on Figure 7 is 68 mm.

Calculate the length of the flagellum in μm .


(3)

иm

(Total for Question 5 = 9 marks)

- **6** (a) DNA is composed of four different DNA nucleotides.
 - (i) Which diagram represents the arrangement of the sugar, phosphate and the base in a DNA nucleotide?

(1)



(ii) An allele starts with the DNA sequence ATGCATGTACCG.

Give the sequence of the complementary DNA sequence.

(1)

(iii) The length of one DNA nucleotide was measured at 3.3×10^{-10} metres. Calculate the approximate length of a gene containing 250 nucleotides in nanometres.

(2)

.....nr

White tigers are produced because of a mutation of a single allele which usually produces the normal orange and yellow fur pigmentation.				
The mutated allele is recessive. Samba, a male white tiger, was bred with Rani. They had three offspring; two offspring have white fur and one has a normal fur pigmentation.				
				(i) State the genotype of F
was heterozygous. Use A/a to represent the Predict, using the Punn	nal fur pigmentation was bred e alleles for fur pigmentation. ett square, the percentage pro formal fur pigmentation.	-		

	percentage probability =	%
(c)	Explain how two parents with a dominant phenotype can produce offspring expressing a recessive characteristic.	(2)
	(Total for Question 6 = 9	marks)

7 Figure 8 shows a diagram of the human eye.




Figure 8

(a) (i) Which structure of the eye contains the light receptor cells?

(1)

- **A** iris
- **B** lens
- C cornea
- **D** retina
- (ii) The optic nerve transfers electrical signals from the eye to the central nervous system.

(1)

The optic nerve is a

- B motor neurone
- **C** sensory neurone
- **D** reflex neurone
- (iii) Name the region of the central nervous system responsible for vision.

(1)

	(b)	Macular degeneration is a defect of the eye that occurs when some cells of the retina begin to break down.	
		Embryonic stem cell therapy has been used to improve the vision of some patients with macular degeneration.	
		Explain how embryonic stem cells could be used to treat macular degeneration.	(2)
	(c)	Some research has shown that increased use of computers and other digital media can affect eyesight and reaction times.	
		A scientist wanted to test if prolonged use of a computer affected reaction time.	
		The scientist tested the reaction times of 10 people under the same environmental conditions.	
		These people then used a computer for three hours.	
		The scientist tested their reaction time again.	
		Give three ways that the scientist could improve this method to determine if prolonged use of a computer affects reaction time.	
			(3)
1			
2			
-			
3			

(d) Figure 9 shows the reaction times of five people.

person	1	2	3	4	5
reaction time/seconds	0.258	0.685	0.236	0.246	0.268

Figure 9

(i) Calculate the mean reaction time in milliseconds.

(2)

(ii) Give the name of the mathematical term which is used to describe the reaction time value of person 1.

(1)

(Total for Question 7 = 11 marks)

8 Phenolphthalein is an indicator. It is pink in alkaline solutions and turns colourless as the pH decreases.

It can be used to measure the activity of the enzyme lipase on the breakdown of lipids.

Samples of milk containing phenolphthalein were incubated with lipase at different temperatures.

The time taken for the phenolphthalein to turn colourless was recorded and used to calculate the rate of enzyme activity.

Figure 10 shows these results.




Figure 10

(a) (i) Explain why phenolphthalein turns colourless when lipase breaks down the lipids in milk.

o	_	Α.
Г	7)	١.
ı	#	

(ii) Describe the effect of temperature on the activity of lipase, as shown in Figure 10.	
rigure ro.	(2)
(iii) Explain why the activity of lipase changes above a temperature of 40 $^{\circ}$ C.	(2)
	(2)

(b) A student investigated the time taken for amylase to breakdown a 10% starch solution into glucose at 37 °C. The student repeated the investigation five times.

Figure 11 shows the results.

time taken for amylase to produce glucose (s)											
test 1	test 2	test 3	test 4	test 5							
120	125	110	115	118							

Figure 11

(i) Calculate the rate of amylase enzyme activity for the 10% starch solution.

(3)

			(Ta)	tal for Question	9 – 12 marks)
Ex	xplain why enzy	mes can only cataly	yse specific reactio	ns.	(2)
	•	s catalyse specific r			
	go				(1)
(ii)) State one oth investigation.	er variable that the	student should ha	ave controlled du	ring this
	_	was done at 37°C.			

9 When bacteria divide they replicate their genome and synthesise their cell wall.
Figure 12 outlines the stages of bacterial replication.




Figure 12

(a) Penicillin inhibits the synthesis of the cell wall in bacteria.

Explain the effect of penicillin on bacterial and human cells.

 	 •••••	 	 	 										
 	 •••••	 	 	 										

(3)

					É	
		ĭ				
			'n			
			í			
			4			
				è		
				ì		
				7		
				<	2	
		à	2	3	2	
		d	ķ	ij	þ	
	3	d	ķ	ij	þ	
>		d	ķ	ij	þ	
		d	ķ	ij	þ	
>		4		1	þ	
		4		1		
}		4		1	þ	
		4		1	þ	
		444				
		444				
		444				
		444				
3		444				
3		444				
3		444				
3						
3						
3						
> > >						
>						
\ \ \ \ \						
3						
3						
\ \ \ \ \ \						
> > > > >						
\ \ \ \ \ \						
<pre></pre>						
\ \ \ \ \ \						

(b)	Penicillin, isolated from a fungus, was the first antibiotic used to treat bacterial infections and is still widely used today.	
	Scientists have genetically engineered bacteria to produce large amounts of penicillin.	
	Describe how scientists would produce a genetically modified bacterium that produces penicillin.	(-)
		(4)

With reference to Darwin's theory of evolution MRSA bacteria have evolved to become resis	stant to antibiotics.
	(6)
	(Total for Question 9 = 13 marks)

10	There are different types of white blood cell in the body. One type is called CD4+ T-Helper cells.	
	The normal range of these cells in the blood is between 5×10^8 and 1.2×10^9 cells/dm³	
	An AIDS patient has a CD4+ T-Helper cell count of 1.5×10^8 cells/dm ³	
	(a) Explain why the CD4+ count of 1.5×10^8 cells/dm³ has led to the diagnosis of AIDS.	(2)
	*(b) Some sexually transmitted infections (STIs) can be diagnosed by testing	
	urine samples.	
	These tests use monoclonal antibodies that bind to an antigen on the pathogen. Describe how a monoclonal antibody can be developed and used to detect an STI using a urine sample.	
	asing a arme sample.	(6)
•••••		

(c) The antigens on pathogens can be pro	teins with a specific amino acid sequence.
Explain how the order of amino acids i of the gene.	n a protein is determined by the sequence
of the gene.	(4)
	(Total for Question 10 = 12 marks)
	TOTAL FOR PAPER = 100 MARKS

BLANK PAGE

Paper 1 Higher

Question number	Answer	Additional guidance	Mark
1(a)(i)	An answer that combines knowledge (1 mark) and understanding (1 mark) to provide a logical description: • (scientists might look for) differences in the structural features of the fossil (1) • and Ardipithecus ramidus would be deeper in the rock layer than Homo {habilis/stone tools} (1)	e.g. <i>Ardipithecus</i> ramidus smaller cranial capacity	(2)
			(2)

Question number	Answer	Additional guidance	Mark
1(a)(ii)	An explanation that combines identification – application of knowledge (1 mark) and reasoning/justification – application of understanding (1 mark): • likely to be out-competed by <i>Homo erectus</i> (1) • {for resources essential for survival/due to the presence of a new selection pressure} (1)	accept: named resources accept: named selection pressure, e.g. climate change, environmental change, disease	(2)

Question number	Answer	Additional guidance	Mark
1(a)(iii)	An explanation that combines identification via a judgement (1 mark) to reach a conclusion via justification/reasoning (1 mark): • stone tool B because it is more {sophisticated/worked} (1) • and Homo erectus lived more recently than Homo habilis (1)	accept: data quoted from the timeline	(2)

Question number	Answer	Mark
1(b)	 An answer that combines the following points of application of knowledge and understanding to provide a logical description: genetic variation means that some plants will be tolerant of drought conditions and these can be selected (1) cross-pollinate these plants and grow the seeds under drought conditions (1) select offspring and repeat over several generations (1) 	(3)

Question number	Answer	Additional guidance	Mark
2(a)(i)	• radius $10 \text{ mm} \pm 1 \text{ mm} (1)$ • area = $\pi r^2 (1)$ • area $314 \text{ (mm}^2) (1)$	if radius outside range but area calculated max 2 marks	
	answer must be to 3 significant figures	award full marks for correct numerical answer without working	(3)

Question number	Answer	Additional guidance	Mark
2(a)(ii)	An explanation that combines identification via a judgement (1 mark) to reach a conclusion via justification/reasoning (1 mark): • antiseptic 1 has a larger zone of inhibition (1) • so more of Streptococcus pyogenes have been killed (1)	ecf from (a)(i)	(2)

Question number	Answer	Additional guidance	Mark
2(a)(iii)	to provide optimal growth conditions	S. pyogenes grow at body temperature	(1)

Question number	Answer	Mark
2(b)	 An explanation that combines identification – understanding (1 mark) and reasoning/justification – understanding (1 mark): the Bunsen burner flame kills all microorganisms on the loop (1) so only the desired bacteria are transferred to the loop/no unwanted microorganisms spread on the agar plate (1) 	(2)

Question number	Answer	Additional guidance	Mark
3(a)	• 830 mm = 0.83 m (1) • 0.83/0.99 = 0.8383 = 0.84 to two d.p. (1)		
	OR		
	• 0.99 m = 990 mm (1) • 830/990 = 0.8383 = 0.84 to two d.p. (1)		
	Answer must be given to 2 decimal places	award full marks for correct numerical answer without working	(2)

Question number	Answer	Mark
3(b)(i)	В	(1)

Question number	Answer	Mark
3(b)(ii)	Any two of the following points: • similar BMI (1)	
	same gender profile (1)	
	similar amount (and type) of exercise (1)	(2)

Question number	Answer	Mark
3(b)(iii)	 An answer that combines the following points to provide a plan: weigh the 40 obese people (1) half follow the new diet and half keep their normal diet (1) after a fixed time period re-weigh the 40 people (1) 	(3)

Question number	Answer	Mark
4(a)	 An explanation that combines identification – understanding (1 mark) and reasoning/justification – understanding (1 mark): Mendel crossed homozygous tall and homozygous short pea plants and produced all tall offspring (1) therefore all the offspring had a heterozygous genotype with one tall and one short allele showing that the tall allele is dominant (1) 	(2)

Question number	Answer	Mark
4(b)(i)	 An explanation that combines identification – application of knowledge (1 mark) and reasoning/justification – application of understanding (1 mark): asexual reproduction is a rapid reproduction technique allowing the production of more plants as there is no requirement for cross pollination/higher crop yield/increased profit 	(2)

Question number	Answer	Mark
4(b)(ii)	An explanation that combines identification – application of knowledge (1 mark) and reasoning/justification – application of understanding (1 mark): • introduces variation into the population • which allows for natural selection of fitter plants/increased chance of the population surviving	(2)

Question number	Answer	Mark
4(c)(i)	С	(1)

Question number	Answer	Mark
4(c)(ii)	 An explanation that combines identification via a judgement (1 mark) to reach a conclusion via justification/reasoning (1 mark): genotype is X^DX^d/she must have one dominant and one recessive allele (1) because her daughter must have received the recessive allele and her son has inherited a dominant allele (1) 	
		(2)

Question number	Answer	Mark
5(a)(i)	Any one variable from temperature amount of drying type of potato age of potato	(1)

Question number	Answer	Mark
5(a)(ii)	To get an accurate reading of mass	(1)

Question number	Answer	Mark
5(a)(iii)	An explanation that combines identification via a judgement (1 mark) to reach a conclusion via justification/reasoning (1 mark):	
	 any one identification point from: there is no change in mass at 0.3 mol dm⁻³ (check once drawn) (1) this is the isotonic salt concentration in the potato (1) 	
	 Plus reasoning/justification because there is no net movement of water/no salt concentration gradient (1) 	(2)

Question number	Answer	Mark
5(a)(iv)	 repeat the test using intermediate concentrations (between 0.2 and 0.4 mol dm³) 	(1)

Question number	Answer	Mark
5(b)	В	(1)

Question number	Answer	Additional guidance	Mark
5(c)	• 68 ÷ 8000 (1)	award full marks for correct	
	• 0.0085 (1)	numerical answer without	
	• 8.5 (µm) (1)	working	(3)

Question number	Answer	Mark
6(a)(i)	В	(1)

Question number	Answer	Mark
6(a)(ii)	TACGTACATGGC	(1)

Question number	Answer	Additional guidance	Mark
6(a)(iii)	• 3.33×10^{-10} equals 0.33 nm (1) • $0.33 \times 250 = 82.5$ (nm) (1)	maximum one mark if no conversion to nm	
		award full marks for correct numerical answer without working	(2)

Question number	Answer	Additional guidance	Mark
6(b)(i)	heterozygous	accept alleles showing heterozygous genotype	(1)

Question number	Answer					Mark
6(b)(ii)	correct Punn	• correct Punnett square (1)				
			Α	a		
		Α	AA	Aa		
		а	Aa	aa		
	• 75% normal	fur pigmer	ntation (1)			(2)

Question number	Answer	Mark
6(c)	An explanation that combines identification – understanding (1 mark) and reasoning/justification – understanding (1 mark): • both parents must be heterozygous for the recessive allele (1) • so the offspring must inherit the recessive allele from each parent (1)	(2)

Question number	Answer	Mark
7(a)(i)	D	(1)

Question number	Answer	Mark
7(a)(ii)	С	(1)

Question number	Answer	Mark
7(a)(iii)	cerebrum	(1)

Question number	Answer	Mark
7(b)	 An explanation that makes reference to: identification – knowledge (1 mark) and reasoning /justification – knowledge (1 mark): embryonic stem cells can be stimulated to produce cells of the retina (1) which can be transplanted into a patient's eye to replace the damaged cells (1) 	(2)

Question number	Answer	Mark
7(c)	 Any three improvements from the following: vary the time for computer usage (1) the activity used on the computer must be the same for each person (1) control the intake of food/drink/drugs before and during the test (1) repeat the test at different times of the day (1) repeat the test using more people (1) 	(3)

Question number	Answer	Additional guidance	Mark
7(d)(i)	• $\frac{0.258 + 0.685 + 0.236 + 0.246 + 0.268}{= 0.339 (1) 5}$ • 339 (ms) (1)	award full marks for correct numerical answer without working	(2)

Question number	Answer	Mark
7(d)(ii)	it is the median value	(1)

Question number	Answer	Mark
8(a)(i)	 An explanation that combines identification – application of knowledge (1 mark) and reasoning/justification – application of understanding (1 mark): fatty acids are formed when the lipids are broken down by lipase (1) and fatty acids are acidic (so the pH decreases) (1) 	(2)

Question number	Answer	Mark
8(a)(ii)	 An answer that combines up to a maximum of two points to provide a logical description: as the temperature increases from 20 °C to 37 °C the rate of lipase activity increases (from 0.2 to 0.8) (1) the rate of lipase activity is optimal at 37 °C (1) above 37 °C the rate of lipase activity decreases (from 0.8 to 0.1) (1) 	(2)

Question number	Answer	Mark
8(a)(iii)	 An explanation that combines identification – application of knowledge (1 mark) and reasoning/justification – application of understanding (1 mark): an increase in temperature above 40 °C causes changes in the shape of the active site of the enzyme (1) therefore the enzyme becomes denatured and no longer functions (1) 	(2)

Question number	Answer	Additional guidance	Mark	
8(b)(i)	 mean= 588/5 = 117.6 (1) rate = 1 ÷ 117.6 (1) 0.0085 (1) 	award full marks for correct numerical answer without working		
		accept $1000/t$ accept $10/t$	(3)	

Question number	Answer	Mark
8(b)(ii)	 Any one variable from: concentration of the enzyme volume of enzyme solution volume of starch solution pH of the solutions 	(1)

Question number	Answer	Mark
8(c)	An explanation that makes reference to: identification – knowledge (1 mark) and reasoning /justification – knowledge (1 mark): • the active site of an enzyme has a specific shape because of the order of the amino acids (1) • the substrate must have a shape which is complementary to the active site (1)	(2)

Question number	Answer	Mark
9(a)	An explanation that combines identification – application of knowledge (1 mark) and reasoning/justification – application of understanding (2 marks): • penicillin prevents the bacteria from dividing as they cannot make a new cell wall (1) • because humans cells do not have a cell wall (1) • they are unaffected by penicillin (1)	(3)

Question number	Answer	Mark
9(b)	An answer that combines knowledge (2 marks) and understanding (2 marks) to provide a logical description: use restriction enzymes to remove the gene and cut the plasmid (1) use of ligase to join DNA molecules together (1) cut the gene from the genome of the fungus and extract a plasmid from the bacteria (1) insert the recombinant plasmid back into the bacteria (1)	(4)

Question number	Indicative content	Mark			
*9(c)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.				
	The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.				
	AO1 (6 marks)				
	 bacteria reproduce rapidly generating a large population there is variation among a bacterial population some bacteria develop a resistance to antibiotics through mutation antibiotic treatment exerts a selection pressure bacteria resistant to antibiotics survive antibiotic resistance inherited non-resistant bacteria do not survive levels of antibiotic resistance in a population of bacteria increase 				
	bacteria mercase	(6)			

Level	Mark	Descriptor
	0	No rewardable material.
Level 1	1-2	 Demonstrates elements of biological understanding, some of which is inaccurate. Understanding of scientific ideas lacks detail. (AO1) Presents an explanation with some structure and coherence. (AO1)
Level 2	3-4	 Demonstrates biological understanding, which is mostly relevant but may include some inaccuracies. Understanding of scientific ideas is not fully detailed and/or developed. (AO1) Presents an explanation that has a structure which is mostly clear, coherent and logical. (AO1)
Level 3	5-6	 Demonstrates accurate and relevant biological understanding throughout. Understanding of the scientific ideas is detailed and fully developed. (AO1) Presents an explanation that has a well-developed structure that is clear, coherent and logical. (AO1)

Question number	Answer	Mark
10(a)	 An explanation that combines identification – application of knowledge (1 mark) and reasoning/justification – application of understanding (1 mark): the CD4+ count is significantly below the normal range because the HIV has destroyed the {white blood cells/CD4+ cells} (1) so the person is more susceptible to opportunistic infections and classified as having AIDS (1) 	(2)

Question number	Indicative content	Mark		
*10(b)	Answers will be credited according to candidate's deployment of knowledge and understanding of the material in relation to the qualities and skills outlined in the generic mark scheme.			
	The indicative content below is not prescriptive and candidates are not required to include all the material which is indicated as relevant. Additional content included in the response must be scientific and relevant.			
	 AO2 (6 marks) isolate an antigen from the pathogen which causes the STI inject the antigen into a mouse/rodent collect lymphocytes producing an antibody to the STI antigen fuse the B-lymphocyte with a myeloma cell production of a hybridoma 			
	 hybridoma produces a monoclonal antibody against the antigen of the STI attach the monoclonal antibody to coloured bead/indicator incorporate into a test strip. 	(6)		

Level	Mark	Descriptor	
	0	No awardable content	
Level 1	1-2	 The explanation attempts to link and apply knowledge and understanding of scientific enquiry, techniques and procedures, flawed or simplistic connections made between elements in the context of the question. (AO2) 	
		Lines of reasoning are unsupported or unclear. (AO2)	
Level 2	3-4	 The explanation is mostly supported through linkage and application of knowledge and understanding of scientific enquiry, techniques and procedures, some logical connections made between elements in the context of the question. (AO2) Lines of reasoning mostly supported through the application of relevant evidence. (AO2) 	
Level 3	5-6	 The explanation is supported throughout by linkage and application of knowledge and understanding of scientific enquiry, techniques and procedures, logical connections made between elements in the context of the question. (AO2) Lines of reasoning are supported by sustained application of relevant evidence. (AO2) 	

Question number	Answer	Additional guidance	Mark
10(c)	 An explanation that combines identification – understanding (1 mark) and reasoning/justification – understanding (3 marks): a single strand of messenger RNA is transcribed from the gene in the nucleus (1) messenger RNA molecule binds to the ribosome (1) the triplet code from the mRNA is matched by a complementary tRNA anticodon at the ribosome (1) tRNA transfers amino acids to the polypeptide chain in a specific order (1) 	to gain maximum marks the process must be in a logical sequence	(4)